

Date: 10/04/2008 10:36:49 AM
 User: Julie Lecocq

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : CABIN FLOOR PROTECTOR
Job Number : 38513	
Estimate Number : 12661	
P.O. Number :	Part Number : D35742
This Issue : 10/04/2008 S.O. No. :	Drawing Number : D3574 REV.A
Prsht Rev. : NC	Project Number : N/A
First Issue : 10/04/2008 Type : SMALL /MED FAB	Drawing Revision : A
Previous Run : 37644	Material :
Written By :	Due Date : 18/04/2008 Qty: 4 Um: Each
Checked & Approved By : <u>SAD 08-4-10</u>	
Comment : Est Rev :A New Issue 07-01-22 EC	

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 F60029 mlexs125f6002904 lexan grey

08/04/11



MAT. NOT PULLED



Comment: Qty.: 32.0000 sf(s)/Unit Total: 128.0000 sf(s)

F60029 lexan sheet

Batch: 103106 IB 8-4-11

2.0 WATER JET FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3574

Dwg Rev: A

Prog Rev: A

IB 8-4-11

4

2-Deburr if necessary

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



IB 8-4-11



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

SAD 08/04/11

5.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

SAD 08/04/15 4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 10:36:50 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: CABIN FLOOR PROTECTOR

Job Number: 38513

Part Number: D35742

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08/04/15 (X4)

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify with P/N and B/N using a permanent fine point marker, then Stock

Location: 38511

8/4/16

SP

(4)

8.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/04/16

Job Completion



MF 08-04-16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN CE	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED CE	APPROVED [Signature]	DRAWING NO. D3574	REV. A SHEET 1 OF 5
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:14
A	07.06.08	NEW ISSUE	

RELEASED
07-06-27

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **38513**

D3574-1 CABIN FLOOR PROTECTOR (SHOWN). D3574-2 (OPPOSITE)**NOTES:**


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>CE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3574	REV. A SHEET 2 OF 5
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:14

RELEASED
07.06.27

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38513

D3574-3 CABIN FLOOR PROTECTOR**NOTES:**


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3574	REV. A SHEET 3 OF 5
DATE 07.06.08	TITLE CABIN FLOOR PROTECTOR		SCALE 1:14

RELEASED
07.06.27 *[Signature]***D3574-4 CABIN FLOOR PROTECTOR****NOTES:**

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8963


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38513

DART

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3574	REV. A SHEET 4 OF 5
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:14

RELEASED
07.06.27**D3574-5 CABIN FLOOR PROTECTOR****NOTES:**

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38513

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3574	REV. A SHEET 5 OF 5
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:14

RELEASED
07.06.27**D3574-6 CABIN FLOOR PROTECTOR****NOTES:**

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 3853

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD		Work Order:	38512
Description: CABIN FLOOR PROTECTOR		Part Number:	D3574-2
Inspection Dwg: D3574-1 Rev: A		Page 1 of 3	

FIRST ARTICLE INSPECTION CHECKLIST

☒

First Article

☐

Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø 3.00	+ .012 - .001	3.002	*			
7.37	+/- .030	7.37	*			
11.00	+/- .030	11.00	*			
15.25	+/- .030	15.25	*			
39.75	+/- .030	39.75	*			
44.75	+/- .030	44.75	*			
53.51	+/- .030	53.51	*			
63.50	+/- .030	63.50	*			
65.25	+/- .030	65.25	*			
10.75	+/- .030	10.75	*			
14.75	+/- .030	14.75	*			
25.50	+/- .030	25.50	*			
25.75	+/- .030	25.75	*			
26.00	+/- .030	26.00	*			
32.87	+/- .030	32.87	*			
38.81	+/- .030	38.81	*			
45.00	+/- .030	45.00	*			
58.38	+/- .030	58.38	*			
61.25	+/- .030	61.25	*			
64.13	+/- .030	64.13	*			
64.63	+/- .030	46.63	*			

Measured by:	IB
Date:	8-4-11

Audited by:	J
Date:	02/04/14

Prototype Approval:	n
Date:	11

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

IB

8-4-11

DART AEROSPACE LTD		Work Order:	38512
Description: CABIN FLOOR PROTECTOR		Part Number:	D3574-2
Inspection Dwg: D3574-1 Rev: A		Page 2 of 4	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
7.50	+/- .030	7.50				
9.50	+/- .030	9.50				
10.38	+/- .030	10.38				
10.88	+/- .030	10.88				
14.50	+/- .030	14.50				
16.56	+/- .030	16.56				
18.75	+/- .030	18.75				
24.13	+/- .030	24.13				
26.50	+/- .030	26.50				
33.88	+/- .030	33.88				
39.50	+/- .030	39.50				
40.25	+/- .030	40.25				
43.50	+/- .030	43.50				
46.60	+/- .030	46.60				
7.63	+/- .030	7.63				
11.00	+/- .030	11.00				
11.50	+/- .030	11.50				
16.75	+/- .030	16.75				
19.00	+/- .030	19.00				
22.50	+/- .030	22.50				
30.75	+/- .030	30.75				
32.63	+/- .030	32.63				
32.75	+/- .030	32.75				

Measured by: <u>HB</u>	Audited by: <u>[Signature]</u>	Prototype Approval: <u>[Signature]</u>
Date: <u>8-4-11</u>	Date: <u>08/04/14</u>	Date: <u>1/15</u>

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

HB
8-4-11

[Signature]

